


如何設定掃描槍結尾帶 Enter

How to make Argox scanner AS、AR series data end as Enter.

1. 請先至 Argox 官網下載使用手冊。

Please download User's Manual from Argox official website as below.

http://www.argox.com/product/ar-3100/#tab-ywtm_1099



ARGOX a harsco company

PRODUCTS ▾ SOLUTIONS ▾ DOWNLOAD ▾ SUPPORT & SERVICES ▾ NEWS PARTNER AREA 語言 ▾ 🔍

PRODUCTS > BARCODE SCANNERS > 1D CONTACT/SHORT RANG

SEARCH PRODUCTS

Search... 🔍

PRODUCT CATEGORIES

- Barcode Printers ▾
- Barcode Scanners ▴
 - 1D Cordless Imagers
 - 1D Standard Range Imagers
 - 1D Long Range Imagers
 - 1D Contact/Short Range Imagers**
 - 2D Barcode Imagers
 - 2D Cordless Barcode Imagers
 - 2D Presentation Scanners
- Mobile Computers ▾
- Discontinued Products ▾

PRODUCT TAGS

Printer-Cerner-certification

AR-3100

Models List: AR-3100,

- Feature-rich to make daily work simple and easy
- Compact & simple to operate
- Support HD 3mil
- Supports DataMagic function
- Wide DoF Coverage
- LED screen readable
- Vibration function

[Compare](#)

Category: 1D Contact/Short Range Imagers

Tag: Scanner-3mil

[INFORMATION](#) [GENERAL SPECIFICATIONS](#) [BROCHURE](#) **[USER MANUAL](#)** [SOFTWARE](#) [DRIVERS](#)







VIDEO

USER MANUAL
AR-3100 Series User Manual_EN_V1.0_20181007

[↓ DOWNLOAD FILE](#)

2. 請依照下面條碼由上而下依順序掃描設定
 (參數頁字元條碼 0~9, A~F 在最後一頁, 參數字元每次必須掃讀兩個字元, 參數輸入完畢必須掃描 Finish 條碼)

Please following the instruction as below and also refer to the User's Manual on P.25.

Function Description		Double "Enter" as data suffix
Step	Option Description	Option Barcode
1	Program(起始設定)	 *%+PRO*
2	Suffix Characters Setting (選擇設定項目)	 *8AB*
3	Parameter " 0 " (掃描 ASCII 碼第一個字元)	 */0*
4	Parameter " D " (掃描 ASCII 碼第二個字元)	 */D*
5	Finish(結束參數掃描)	 *%%%*
6	Exit(離開設定)	 *%\$\$*

設定結尾取消 Enter







How to make Argox scanner AS、AR series data end as Enter

Removed.

1. 請依照下面條碼由上而下依順序掃描設定<<

(參數頁字元條碼 0~9, A~F 在最後一頁, 參數字元每次必須掃讀兩個字元, 參數輸入完畢必須掃描 Finish 條碼)

Please following the instruction as below and also refer to the User's Manual on P.25

Function Description		Cancel "Enter" as data suffix
Step	Option Description	Option Barcode
1	Program(起始設定)	 *\${}+PRO*
2	Suffix Characters Setting (選擇設定項目)	 *8AB*
3	Parameter "0" (掃描 ASCII 碼第一個字元)	 */0*
4	Parameter "0" (掃描 ASCII 碼第二個字元)	 */0*
5	Finish(結束參數掃描)	 *%*%*
6	Exit(離開設定)	 *%\$\$*